



ZHONGSHAN HOWKEE METAL PRODUCTS FACTORY



 **PRODUCT CATALOGUE**
Better Life, Better Lock...



www.howkee-lock.com 



HOWKEE METAL About US



Zhongshan Howkee Metal Products Factory was established in 2003. Since nearly decades development, we've been providing high quality products with unsurpassed reputation for wholesalers and distributors in US, Canada, Australia, the Middle-east, South America and Asia. We specialize in making and offering a wide range of reliable locksets, covering Tubular & Cylindrical lockset, Lever lockset, deadbolt, combo lockset, entrance handle lockset, jimmy proof and rim night latch, mortis lock, Europe profile cylinder & lock cylinder, key blanks, hinges, door stopper, bolts, hasps and so on. Backed up by years of industry know-how, our high-level engineers and technicians can configure your locks to your most sophisticated requirement. Our Locks meet with ANSI Specifications for Grade 3. North American builders rely on our locks as master key and construction key are also available from us. Our quality control team conducts stringent and thorough monitoring before the products are ready for packaging and shipment. For so many years, we've gained favorable comments from US locksmiths. Quality first, reasonable prices, Prompt delivery, and superior service are our company's ever-lasting principle. We sincerely welcome friends at home and abroad to visit our factory at any of your convenience!

Your OEM/ODM orders are welcomed!

Your OEM orders will be accommodated at our 6000 square meter factory. And we do the tooling, punching, cylinder making, casting and safety testing by ourselves so your OEM/ODM orders are guaranteed in each production chain. Please, send us any of your comments and inquiries at howkeelock@gmail.com and our personnel will be more than pleased to provide you with the highest level of service!



Factory Gate



Punching Workshop 1



Punching Workshop 2



Assembly Line 1



Assembly Line 2



Cylinder Workshop



Polishing Workshop



Die-casting Workshop



Salt Spray Testing Machine



Durability Testing Machine



Container Loading 1



Container Loading 2



HOWKEE METAL

Tubular Knobset Series
Square Spindle

Tubular Knobset

★Exceed 200,000 life cycles

Detailed Product Description



1. Material: Brass Knob & Rose;
2. Function: Entrance/ Bathroom/ Passage/ Dummy;
3. Keyway: Schlage, Kwikset, Yale, Weiser keyway available;
4. Cylinder: Brass Plug w. 2 nickle-plated brass key, can be rekeyed;
5. Keying: KD/KA as standard, construction/master key upon request;
6. Finish: US3, US4, US10B, US11, US15, US15A, US26, US26D, US32, US32D
7. Latch: Adjustable latch w. 2 3/8" & 2 3/4" backset as standard;
Drive-in latch, 4-way latch & 6-way latch available upon request.
8. Door Thickness: From 1 3/8" (35mm) to 1 3/4" (45mm),
if over 1 3/4" (45mm) needed, pls specify.
9. Packaging: Paper box as standard, visual packs available upon request.

Related Products:



6092 SC-PS



6082 PB-PS



6094 ORB-PS



6192 SB-ET



6912 AC-ET



6072 SNI-PS



6598 AC-ET



607 SS-ET



6591 PB-PS



Tubular Knobset


★Exceed 200,000 life cycles

Detailed Product Description



1. Material: Brass Knob & Rose;
2. Function: Entrance/ Bathroom/ Passage/ Dummy;
3. Keyway: Schlage, Kwikset, Yale, Weiser keyway available;
4. Cylinder: Brass Plug w. 2 nickle-plated brass key, can be rekeyed;
5. Keying: KD/KA as standard, construction/master key upon request;
6. Finish: US3,US4,US10B,US11,US15,US15A,US26,US26D,US32,US32D
7. Latch: Adjustable latch w. 2 3/8" & 2 3/4" backset as standard;
Drive-in latch, 4-way latch & 6-way latch available upon request.
8. Door Thickness: From 1 3/8" (35mm) to 1 3/4" (45mm),
if over 1 3/4" (45mm) needed, pls specify.
9. Packaging: Paper box as standard, visual packs available upon request.

Diagram



Code/Size	A	B	C	D
6192	65MM	51MM	35-45MM	60(70)MM
6591	65MM	51MM	35-45MM	60(70)MM
6592	65MM	51MM	35-45MM	60(70)MM
6912	65MM	47MM	35-45MM	60(70)MM
6598	65MM	51MM	35-45MM	60(70)MM
607	65MM	52.6MM	35-45MM	60(70)MM
6072	65MM	51MM	35-45MM	60(70)MM
6082	65MM	56MM	35-45MM	60(70)MM
6092	65MM	53.5MM	35-45MM	60(70)MM
6094	65MM	63.5MM	35-45MM	60(70)MM

Packaging Measurement

Category	Product Code	Box Pack				Visual Pack				
		Outer Carton Measurement	Pcs/Ctn	G.W.	N.W.	Outer Carton Measurement (Blister)	Outer Carton Measurement (Button Blister)	Pcs /Ctn	G.W.	N.W.
		(cm)	(pcs)	(kg.)	(kg.)	(cm)	(cm)	(pcs)	(kg.)	(kg.)
Tubular Door Lock	6072-ET	40x26x45	30	18	16	38.5x31.5x39	43.5x42.5x37.5	24	15	13
	6072-BK			16	14				12.5	10.5
	6072-PS			14.5	12.5				12	10
	6072-Dummy	24x15x47.5	30	6.3	5.7	36x35.5x40.5	/	30	5.8	3.8

Other related models are of the same packaging measurement as 6072

Tubular Knobset

★Exceed 200,000 life cycles



Detailed Product Description

1. Material: Brass Knob & Rose;
2. Function: Entrance/ Bathroom/ Passage/ Dummy;
3. Keyway: Schlage, Kwikset, Yale, Weiser keyway available;
4. Cylinder: Rekeyable Zinc Alloy Plug w. 2 nickle-plated brass key;
5. Keying: KD/KA as standard, construction/master key upon request;
6. Finish: US3, US4, US10B, US11, US15, US15A, US26, US26D, US32, US32D
7. Latch: Adjustable latch w. 2 3/8" & 2 3/4" backset as standard;
Drive-in latch, 4-way latch & 6-way latch available upon request.
8. Door Thickness: From 1 3/8" (35mm) to 1 3/4" (45mm),
if over 1 3/4" (45mm) needed, pls specify.
9. Packaging: Paper box as standard, visual packs available upon request.
10. Keycodes available: 35241, 52534, 44535, 67767, 76667, 23323, 22323, etc...

Related Products:



5762 PB-ET



5765 AB-ET




5872 PB-ET



5764 SNI-ET

Diagram



Code/Size	A	B	C	D
5762	66.3MM	47.6MM	35-45MM	60(70)MM
5764	66.3MM	47MM	35-45MM	60(70)MM
5765	66.3MM	54MM	35-45MM	60(70)MM
5872	66.3MM	54MM	35-45MM	60(70)MM

Packaging Measurement

Category	Product Code	Box Pack				Visual Pack				
		Outer Carton Measurement	Pcs/Ctn	G.W.	N.W.	Outer Carton Measurement (Blister)	Outer Carton Measurement (Button Blister)	Pcs /Ctn	G.W.	N.W.
		(cm)	(pcs)	(kg.)	(kg.)	(cm)	(cm)	(pcs)	(kg.)	(kg.)
Tubular Door Lock	5762-ET	32.5x27x37	30	18	16	38.5x31.5x39	43.5x42.5x37.5	24	15.5	13
	5762-BK			14.5	12.5				12.5	10.5
	5762-PS			14	12				12	10

Other related models are of the same packaging measurement as 6072

Deadbolt Lock

★Exceed 200,000 life cycles



Detailed Product Description

1. Material: Brass or Stainless Steel;
2. Function: Single Cylinder / Double Cylinder / Half deadbolt / Half deadbolt with exterior plate;
3. Keyway: Schlage, Kwikset, Weiser, Yale available;
4. Cylinder: Rekeyable 5-pin brass plug with 2 nickel plated brass keys;
5. Keying: Key Alike or Key Different as standard, construction key or Master key upon request;
6. Finish: US3, US4, US10B, US11, US15, US15A, US26, US26D, US32, US32D
7. Latch: Adjustable latch w. 2 3/8" & 2 3/4" backset, 1" zinc alloy throw-out With hardened steel rod inserts for anti-sawing purpose. Drive-in latch, 1" solid brass throw-out available upon request.
8. Door thickness: From 1 3/8" (35mm) to 1 3/4" (45mm), over 1 3/4" (45mm) needed, pls specify.
9. Packaging: Paper Box as standard, Visual packs available upon request.

Related Products:




D101 SS



D102 PB




D103 SNI



D104 SNI

04

Diagram:



Code/Size	A	B	C	D
D101	65MM	62-72MM	35-45MM	60(70)MM
D102	65MM	85-95MM	35-45MM	60(70)MM

Packaging Measurement

Category	Product Code	Box Pack				Visual Pack				
		Outer Carton Measurement (cm)	Pcs/Ctn	G.W. (kg.)	N.W. (kg.)	Outer Carton Measurement (Blister) (cm)	Outer Carton Measurement (Button Blister) (cm)	Pcs /Ctn (pcs)	G.W. (kg.)	N.W. (kg.)
Deadbolt	D101	40X20.5X22	30	15	13	35x30.5x27.5	40x38x31	24	13.1	10.6
	D102			17.5	15.5				14.9	12.4

Other related models are of the same packaging measurement as 6072



Tubular Leverset

★Exceed 200,000 life cycles

Detailed Product Description



1. Material: Zinc Alloy Handle with Brass Rose;
2. Function: Entrance/Bathroom/Passage/Dummy;
3. Keyway: Schlage, Kwikset, Weiser, Yale available;
4. Cylinder: Brass plug with 2 nickel plated brass keys, rekeyable;
5. Keying: Key Alike or Key Different as standard; Construction key or Master key upon request;
6. Finish: US3,US4,US10B,US11,US15,US15A,US26,US26D,US32,US32D
7. Latch: Adjustable latch w. 2 3/8" & 2 3/4" backset as standard; Drive-in latch, 4-way latch & 6-way latch available upon request.
8. Door Thickness: From 1 3/8"(35mm) to 1 3/4"(45mm), if over 1 3/4" (45mm) needed, pls specify.
9. Packaging: Paper box as standard, visual packs available upon request.

Related Products:



D892 SNI-PS



8039 BP-ET



8069 AB-BK



8033 BP-PS



8081 SC-PS



8030 BP-BK



8032 AB-ET



892 ORB-ET



8069 SC-ET



8081 AB-BK



8034 BP-BK



8030 ORB-DM

05



Tubular Leverset


★**Exceed 200,000 life cycles**

Detailed Product Description



1. Material: Zinc Alloy Handle with Brass Rose;
2. Function: Entrance/Bathroom/Passage/Dummy;
3. Keyway: Schlage, Kwikset, Weiser, Yale available;
4. Cylinder: Brass plug with 2 nickel plated brass keys, rekeyable;
5. Keying: Key Alike or Key Different as standard; Construction key or Master key upon request;
6. Finish: US3, US4, US10B, US11, US15, US15A, US26, US26D, US32, US32D
7. Latch: Adjustable latch w. 2 3/8" & 2 3/4" backset as standard; Drive-in latch, 4-way latch & 6-way latch available upon request.
8. Door Thickness: From 1 3/8"(35mm) to 1 3/4"(45mm), if over 1 3/4" (45mm) needed, pls specify.
9. Packaging: Paper box as standard, visual packs available upon request.

Diagram:



Code/Size	A	B	C	D
8030	65MM	92.5MM	35-45MM	60(70)MM
8036	65MM	110MM	35-45MM	60(70)MM
8039	65MM	105.8MM	35-45MM	60(70)MM
808	65MM	93.3MM	35-45MM	60(70)MM
8081	65MM	93.3MM	35-45MM	60(70)MM
8082	65MM	105.8MM	35-45MM	60(70)MM
E8035	65MM	93.3MM	35-45MM	60(70)MM
8031	65MM	92.5MM	35-45MM	60(70)MM
892	65MM	92.5MM	35-45MM	60(70)MM

06

Packaging Measurement

Category	Product Code	Box Pack				Visual Pack					
		Outer Carton Meas. (cm)	Pcs /Ctn	G.W. (kg.)	N.W. (kg.)	Outer Carton Meas.(Blister)(cm)	Outer Carton Meas.(ButtonBlister)	Pcs /Ctn	G.W. (kg.)	N.W. (kg.)	
Tubular Door Handle Lock	808ET	35.5X27.5X39.5	20	15.3	13.3	39.5x38.5x44	43.5x42.5x37.5	24	19	16.5	
	808-BK	35.5X27X37		13.1	11.1				17	14.5	
	808-PS			12.6	10.6				16.5	14	
	8081-ET	35.5X27.5X39.5	20	15.4	13.4	39.5x38.5x44		24	18.5	16	
	8081-BK			15	13				18	15.5	
	8081-PS			14	12				16.9	14.4	
	8030-ET	40.2x27x33.3	20	15.8	13.8	39.5x38.5x44		24	18.5	16	
	8030-BK			14	12				18	15.5	
	8030-PS			13.8	11.8				16.9	14.4	
	8030-Dummy	27.3x23.5x38.5	30	9.4	7.8	43.5x36x25		/	24	9.4	7.8
	892-ET	38.7X28.3X42	20	15.8	13.8	39.5x38.5x44		43.5x42.5x37.5	24	19	16.5
	892-BK			14	12					17	14.5
	892-PS			13.8	11.8					16.5	14
	892-Dummy			36x27.5x42	30					9.4	7.8



Combo Knobset

★**Exceed 200,000 life cycles**

Detailed Product Description

1. Material: Brass or Stainless Steel;
2. Function: Entrance Knobset + Single Cylinder / Entrance Knobset + Double Cylinder;
3. Keyway: Schlage, Kwikset, Weiser, Yale available;
4. Cylinder: Rekeyable 5-pin brass plug with 2 nickel plated brass keys;
5. Keying: Key Different as standard, Key Alike, construction key or Master key upon request;
6. Finish: US3, US4, US10B, US11, US15, US15A, US26, US26D, US32, US32D
7. Latch: Adjustable latch w. 2 3/8" & 2 3/4" backset, 1" zinc alloy throw-out
With hardened steel rod inserts for anti-sawing purpose.
Drive-in latch, 1" solid brass throw-out available upon request.
8. Door thickness: From 1 3/8" (35mm) to 1 3/4" (45mm),
over 1 3/4" (45mm) needed, pls specify.
9. Packaging: Paper Box as standard, Visual packs available upon request.



Related Products:



607-ET+D101 SS



607-ET+D101 PB



607-ET+D101 AB



607-ET+D101 BL



607-ET+D102 SS



607-ET+D102 PB



607-ET+D102 AB



607-ET+D102 BL

Packaging Measurement

Category	Product Code	Box Pack				Visual Pack			
		Outer Carton Measurement (cm)	Sets/Ctn	G.W. (kg.)	N.W. (kg.)	Outer Carton Measurement (Blister) (cm)	Pcs /Ctn (pcs)	G.W. (kg.)	N.W. (kg.)
Combo knobset	607-ET+D101	30.5X27X33.7	12	15	13	42x29x43	12	15	13
	607-ET+D102			17.5	15.5			17.5	15.5

07



Cylindrical Knobset ★Exceed 200,000 life cycles



Detailed Product Description

1. Material: Brass or Stainless Steel Knob & Rose;
2. Function: Entrance/ Bathroom/ Passage/ Dummy;
3. Keyway: Schlage, Kwikset, Yale, Weiser keyway etc. available;
4. Cylinder: Brass Plug w. 2 nickle-plated brass keys, can be rekeyed;
5. Keying: KD/KA as standard, construction/master key upon request;
6. Finish: US3,US4,US10B,US11,US15,US15A,US26,US26D,US32,US32D
7. Latch: 2 3/8" backset as standard; 2 3/4" backset as optional.
1/2" latch throw dead latch or spring latch
8. Door Thickness: Fits door 1 3/8" (35mm) to 2" (50mm),
9. Packaging: Paper box as standard, visual packs available upon request.

Related Products:



5791-ET AC



5831-ET AB



587-BK SS



587-PS PB



587-ET PB



5831-ET SS



571-SS ET



5731-SB-ET



5822-CP-ET

08



Cylindrical Leverset *★Exceed 200,000 life cycles*

Detailed Product Description

1. Material: Brass or Stainless Steel Rose w. Zinc Alloy Levers;
2. Function: Entrance/ Bathroom/ Passage/ Dummy;
3. Keyway: Schlage, Kwikset, Yale, Weiser keyway etc. available;
4. Cylinder: Brass Plug w. 2 nickel-plated brass keys, can be rekeyed;
5. Keying: KD/KA as standard, construction/master key upon request;
6. Finish: US3, US4, US10B, US11, US15, US15A, US 26, US26D, US32, US32D
7. Latch: 2 3/8" backset as standard; 2 3/4" backset as optional.
1/2" latch throw dead latch or spring latch
8. Door Thickness: Fits door 1 3/8" (35mm) to 2" (50mm),
9. Packaging: Paper box as standard, visual packs available upon request.



Related Products:



9808-PG ET



9808-SC BK



9699 AC-ET



9808-SN ET



9069-PBBN ET



9892-SN ET



9808-PBWR BK



9892-PB BK



9892-PB ET

09



Entrance Handleset *★Exceed 200,000 life cycles*

Detailed Product Description



1. Material: Forged brass or Die-casting zinc alloy;
2. Keyway: Schlage, Kwikset, Yale, Weiser keyway etc. available;
3. Cylinder: Brass Plug w. 2 nickle-plated brass keys, can be rekeyed;
4. Keying: KD/KA as standard, construction/master key upon request;
5. Finish: US3, US4, US10B, US11, US15, US15A, US26, US26D, US32, US32D
6. Backset: Adjustable 2 3/8" - 2 3/4" backset ;
7. Latch: Full 1" deadbolt with hardened bolts;
1/2" throw spring latch or spring latch smoothly operated by thumb piece on outside and knob inside.
8. Door Thickness: Fits door 1 3/8" (35mm) to 2 3/8" (45mm),
9. Packaging: Paper box as standard, visual packs available upon request.

Related Products:



70710 BL



70710 PB



70711 AC



70720 PB



70632 AC



70635 AC



70730 SC



70730 PB



70730 AB



70770 AN




Stainless Steel Hinge

★ Exceed 200,000 life cycles



SS403020




Plain Joint Hinge

CODE	SIZE(HxWxT)
SS403020	3.0"x3.0"x2.0mm
SS353520	3.5"x3.5"x2.0mm
SS353525	3.5"x3.5"x2.5mm
SS403020	4.0"x3.0"x2.0mm
SS403025	4.0"x3.0"x2.5mm
SS403030	4.0"x3.0"x3.0mm
SS403525	4.0"x3.5"x2.5mm
SS403530	4.0"x3.5"x3.0mm
SS404025	4.0"x4.0"x2.5mm
SS404030	4.0"x4.0"x3.0mm
SS454030	4.5"x4.0"x3.0mm
SS454530	4.5"x4.5"x3.0mm
SS503030	5.0"x3.0"x3.0mm
SS503530	5.0"x3.5"x3.0mm
SS504030	5.0"x4.0"x3.0mm



SS403025 2BB




2 Ball Bearing Hinge

CODE	SIZE(HxWxT)
SS353520-2BB	3.5"x3.5"x2.0mm
SS353525-2BB	3.5"x3.5"x2.5mm
SS403020-2BB	4.0"x3.0"x2.0mm
SS403025-2BB	4.0"x3.0"x2.5mm
SS403030-2BB	4.0"x3.0"x3.0mm
SS403525-2BB	4.0"x3.5"x2.5mm
SS403530-2BB	4.0"x3.5"x3.0mm
SS404025-2BB	4.0"x4.0"x2.5mm
SS404030-2BB	4.0"x4.0"x3.0mm
SS454030-2BB	4.5"x4.0"x3.0mm
SS454530-2BB	4.5"x4.5"x3.0mm
SS503030-2BB	5.0"x3.0"x3.0mm
SS503530-2BB	5.0"x3.5"x3.0mm
SS504030-2BB	5.0"x4.0"x3.0mm



SS403530 4BB



4 Ball Bearing Hinge


CODE	SIZE(HxWxT)
SS403025-4BB	4.0"x3.0"x2.5mm
SS403030-4BB	4.0"x3.0"x3.0mm
SS403525-4BB	4.0"x3.5"x2.5mm
SS403530-4BB	4.0"x3.5"x3.0mm
SS404025-4BB	4.0"x4.0"x2.5mm
SS404030-4BB	4.0"x4.0"x3.0mm
SS454030-4BB	4.5"x4.0"x3.0mm
SS454530-4BB	4.5"x4.5"x3.0mm
SS503030-4BB	5.0"x3.0"x3.0mm
SS503530-4BB	5.0"x3.5"x3.0mm
SS504030-4BB	5.0"x4.0"x3.0mm



Stainless Steel Hinge ★ Exceed 200,000 life cycles



SS404030 2BB




4 Ball Bearing Security Hinge

CODE	SIZE(HxWxT)
SS403525-4BB-S2	4.0"x3.5"x2.5mm
SS403030-4BB-S2	4.0"x3.0"x3.0mm
SS404030-4BB-S2	4.0"x4.0"x3.0mm
SS454030-4BB-S2	4.5"x4.0"x3.0mm
SS454530-4BB-S2	4.5"x4.5"x3.0mm
SS504030-4BB-S2	5.0"x4.0"x3.0mm



SSLH-100 LH




Lift-off Hinge

Code	Size(HXWXT)
SSLH-100 LH	100x75x2.5mm LH
SSLH-100 RH	100x75x2.5mm RH



5/8R-SS353525-2BB




5/8" Radius 2 Ball Bearing Hinge

CODE	SIZE(HxWxT)
5/8R-SS353525-2BB	3.5"x3.5"x2.5mm
5/8R-SS353530-2BB	3.5"x3.5"x3.0mm
5/8R-SS403025-2BB	4.0"x3.0"x2.5mm
5/8R-SS403030-2BB	4.0"x3.0"x3.0mm
5/8R-SS403530-2BB	4.0"x3.5"x3.0mm
5/8R-SS404030-2BB	4.0"x4.0"x3.0mm



SSFFH-100-01 2BB



Fast-fix Hinge


Code	Size(HXWXT)
SSFFH-100-01 2BB	100x70x2.5mm-01 2BB
SSFFH-100-02 2BB	100x70x2.5mm-02 2BB

Steel Hinge

★Exceed 200,000 life cycles



ST404030-2BB-SN




Heavy Duty 2 Ball Bearing Steel Hinge

CODE	SIZE (HxWxT)
ST404035-2BB	4.0"x4.0"x3.0mm
ST454530-2BB	4.5"x4.5"x3.0mm
ST454535-2BB	4.5"x4.5"x3.5mm



ST1007515-FP-BP




Oval Tip Steel Hinge

CODE	SIZE (HxWxT)
ST001	38x25x0.8mm
ST002	50x38x1.2mm
ST003	64x45x1.2mm
ST004	70x50x1.5mm
ST005	75x50x1.5mm
ST006	85x60x1.5mm
ST007	90x58x1.8mm
ST008	100x72x1.8mm
ST009	100x75x1.8mm



ST-01-ZP




ZP Steel Hinges

CODE	SIZE (HxWxT)
ST-010	100x75x2.5mm
ST-011	100x100x3.0mm



ST-NM-89-ZP



Steel Non Mortise Hinges

CODE	SIZE (HxWxT)
ST-NM-63	63x37.5x1.4mm
ST-NM-75	76x46x1.6mm
ST-NM-89	89x52x1.8mm
ST-NM-100	100x66x2.0mm

Laminated Padlock



LPLS50 (Bumper)



LPLS40 (Bumper)



LP50 (Bumper)



LP45 (Bumper)



LP40 (Bumper)



LP30 (Bumper)

Hasp



1-3/4" x 6-1/4" Hasp Steel/Zinc



1-3/4" x 7-1/2" Trifold Hasp, Steel/Zinc



Hasps

Barrol Bolt











Bracket






























T-Hinge



Howkee Code	FUNCTION	DIAGRAM	DIRECTIONS
ET	Entrance / Office Lock		<ul style="list-style-type: none"> • Both knobs operate latch bolt when unlocked. • Outside knob can be locked by the inside push button. • Key retracts latch bolt when outside knob is locked. • Inside knob always active. • Both knobs operate latch bolt when unlocked. • Outside knob can be locked by the inside push/turn button.
BK	Privacy / Bed / Bath		<ul style="list-style-type: none"> • Unlock door from outside when turning emergency slot. • Inside knob always active.
PS	Passage / Hall / Closet		<ul style="list-style-type: none"> • Both knobs always free to operate latch bolt.
DM	Dummy		<ul style="list-style-type: none"> • Dummy trim for one side of door pull function
ST	Storeroom		<ul style="list-style-type: none"> • Deadlocking latch bolt. • Only the inside knob and outside key can operate latch bolt • Outside knob always rigid, Inside knob always free providing emergency exit.
CL	Classroom		<ul style="list-style-type: none"> • Latch operated by knob/lever from either side except when outside knob/lever is locked by key from outside. • Inside knob/lever always free providing emergency exit.
CM	Communication		<ul style="list-style-type: none"> • Intended for communicating doors requiring deadlocking latch bolt. • Key in either knob locks and unlocks each knob independently.
HT	Hotel / Motel		<ul style="list-style-type: none"> • Latch bolt operated by knob from inside and by key from outside. • Outside knob always rigid. • Push button in inside knob shuts out all keys except emergency key and projects visual occupancy indicator in cylinder face.

Key Blanks & Keyways:

BH.01 (2.0) 	FB.01 (2.0) 	FB.02 (2.0) 	FB.03 (2.0) 
FB.04 (2.0) 	FB.07 (2.0) 	(FB.07-1) (2.0) 	HB.01 (2.2) 
HB.03 (2.2) 	FR.01 (2.0) 	JH.01 (2.0) 	PHB.01 (1.5) 
PHB.02 (2.0) 	WH.01 (2.0) 	X66 (2.2) 	HB.05 (2.2) 
HF.03 (2.2) 	HF.02 (2.0) 	YB.01 (2.2) 	TB.01 (2.2) 
GF.04 (2.2) 			
CODE:(F.04) 	CODE:(H.01) 	CODE:(R.01) 	CODE:(R.02) 
CODE:(X.01) 	CODE:(WF.03) 		



Finish Breakdown:

Finish Abbreviation	Chinese Code	ANSI/BHMA	Description
SS	不锈钢磨砂	US32D (630)	Satin Stainless
PB	黄铜抛光	US3 (605)	Polished Brass
SB	黄铜磨砂	US4 (606)	Satin Brass
AB	青古铜	US5 (609)	Antique Bronze
AC	红古铜	US11(616)	Antique Copper
SP	不锈钢抛光	US32 (629)	Polished Stainless
CP	电镀光铬	US26(681)	Bright Chrome
NP	光镍		Bright Nickel
SN	砂镍	US15	Satin Nickel
SC	砂铬	US26D (626)	Satin Chrome
PC	珍珠铬		Pearl Chrome
AN	砂黑镍	US15A (620)	Antique Nickel Plated
ORB	油红古	US10B (613)	Oil Rubbed Bronze
PVD	永不褪色	US505 (L03)	Life Time Warranty
SNB		US10 (612)	Satin Bronze
BP		677	Bright Brass
WZP	镀白芯	White Galvanized	White Zinc Plated
YZP	镀彩芯	Yellow Galvanized	Yellow Zinc Plated
BN	镀黑漆		Black Nickel Plated
GP	镀24K金		Golden Plated
YP	喷金漆		Yellow Lacquer
BRN	喷棕色漆		Brown Lacquer
WH	喷白漆		White Lacquer



Zhongshan Howkee Metal Products Factory
Email: howkeelock@gmail.com Tel: 0086-760-22231729
sylviachan@howkee-lock.com Fax: 0086-760-23880090

Contact: Ms Sylvia Chan General Manager
Website: www.howkee-lock.com